

G & R Consulting
Building Code & Review Services
188 S. Main Rd.
Mountain Top, Pa. 18707
Phone (570) 474-6462

Lafin Borough
Building Permit Application

Return this form with **a copy of a cost estimate or a signed contract of all work to be completed, three (3) sets of plans and specifications and the required fee.**

Date: _____

Property Address of Work: _____

PIN (Property Identification Number): _____

PIN is listed upon your property tax bill issued by Luzerne County

Owner's Name: _____

Address: _____ Zip _____

Phone: _____

Contractor's Name (If Applicable): _____

Contractor # _____

Address: _____ Zip _____

Phone: _____

Description of Work: _____

TOTAL COST OF WORK: _____

Permit Fee: (Based on cost of work. See fee schedule Page 3.) \$ _____

Administration Fee: (25% of above permit fee) \$ _____

State Fee: \$ 4.00

Data Processing Fee: \$ 5.00

Shipping & Handling \$ 5.00

Total Payment to Remit: \$ _____

Check Number for Above Payment _____

Make check or money order and application payable to: G & R Consulting

Mail To:

G & R Consulting
188 S. Main Rd.
Mountain Top, Pa. 18707

For scheduling inspection of work call (570) 474-6462.

CERTIFICATION: I hereby certify that I am the property owner, equitable owner or authorized agent of the owner for the property and project listed in this application. I further certify that all work will be performed in accordance with the UCC Building Code, the attached plans and specifications, the Pennsylvania Building Energy Conservation Act (Act 222 of 1980) and all other applicable laws and regulations. Finally, I agree that the Building Code Official shall have the authority to enter the property and building described in this permit at reasonable hours to inspect the premises and enforce provisions of the Code and this Permit.

Date _____ Applicant Signature _____

BUILDING CODE PERMIT: - The undersigned Building Code Official hereby verifies that the building construction described above and within attached building plans and specifications does, to the best of my knowledge, comply with the requirements of the UCC Building Code, as adopted and amended locally. The owner(s) and contractor are hereby advised that compliance with all UCC Building Code standards is required and incomplete or inconclusive building plan details shall not be grounds for exemption from specific UCC standards.

Review and inspection of the construction process is required to assure Code compliance.

**The following are the minimum inspection approval requirements:
To schedule an inspection call: (570) 474-6462. Please provide an advanced notice of 48 hour for required inspections.**

1. **Footing** - After excavation and any forming **PRIOR** to concrete pour.
2. **Foundation** - After construction, prior to backfill, complete with foundation drains, damp proofing and embedded anchor bolts and **BEFORE** any framing, including sill plate.
3. **Framing** - After construction, **PRIOR** to insulation and interior wall covering. Plumbing, electrical, etc. shall be "roughed in and fire stopped."
4. **Insulation**
5. **Wallboard**
6. **Final** - After structural completion, with all fixtures complete and functional.

CERTIFICATE OF OCCUPANCY - The undersigned Building Code Official hereby verifies that the building construction described above has been completed in accordance with the UCC Building Code, and has complied with other applicable local regulations necessary to facilitate occupancy. Accordingly, this Certificate of Occupancy Approval is hereby granted.

Date _____ Building Code Official _____

G & R Consulting
 Building Code & Review Services
 188 S. Main Rd
 Mountain Top, PA 18707
 Phone (570) 474-6462

Laflin Borough

FEE SCHEDULE

Building Permits: Based on the Total Cost of Work

Cost of Work	Fee
\$1.00 to \$500.00	\$35.00
\$500.01 to \$600.00	\$40.00
\$600.01 to \$700.00	\$45.00
\$700.01 to \$800.00	\$50.00
\$800.01 to \$900.00	\$55.00
\$900.01 to \$1000.00	\$65.00
\$1000.01 to \$2000.00	\$80.00
\$2000.01 to \$3000.00	\$90.00
\$3000.01 to \$4000.00	\$110.00
\$4000.01 to \$5000.00	\$120.00
\$5000.01 to \$6000.00	\$130.00
\$6000.01 to \$7000.00	\$140.00
\$7000.01 to \$8000.00	\$150.00
\$8000.01 to \$9000.00	\$175.00
\$9000.01 to \$10,000.00	\$190.00

Over \$10,000.01 valuation, the fees shall be \$200.00 plus \$10.00 for each additional thousand-dollar valuation of fraction thereof.

The cost of work will be based on the contract for the work or the Code Official's estimate based on either the R.S. Means Co. Inc. "Construction Data Book" (most recent edition), or Marshall & Swift, or whichever is higher.

Any individual or contractor who shall begin work prior to securing a permit shall pay a fee equal to two times the fee that would have been charged had they received the permit prior to beginning work.

- **Upgrade or new electrical service \$120.00**
- **Dumpster Permit \$25.00**
- **All other inspections \$140.00 per Visit**
-

G & R Consulting
Building Code & Review Services
188 South Main Rd
Mountain Top, PA 18707
Phone (570) 474-6462

Laflin Borough Building Permit Packet

Pages 1 & 2: Building Permit Application

Page 3: Fee Schedule

FOR BUILDING PERMITS YOU MUST COMPLETE AND RETURN PAGE 1 and 2.

For Additional Information
or
For Scheduling Inspection of Work
Call (570) 474-6462

ZONING APPROVAL IS USUALLY REQUIRED FOR NEW CONSTRUCTION, STRUCTURAL ALTERATIONS AND ADDITIONS, INCLUDING DECKS, PATIOS, SUNROOMS, FENCES AND SWIMMING POOLS. ANY QUESTIONS REGARDING ZONING APPROVAL SHOULD BE DIRECTED TO Laflin Borough at **(570) 654-3323** or Luzerne County Planning and Zoning **570-825-1565**.

Revised 06/10/2013

ZONING PERMITS ARE REQUIRED
FOR

NEW CONSTRUCTION & ADDITIONS:

HOUSES, MOBILE HOMES, GARAGES, CARPORTS,
BARNs, SHEDS, DECKs, POOLS AND OTHER
ACCESSORY STRUTCTURES
CHANGES IN USE (PROPERTY OR STRUCTURE)
BUSINESS USES AND SIGNS

INFORMATION REQUIRED TO OBTAIN A ZONING PERMIT

1. NAME, ADDRESS & PHONE NUMBER OF OWNER.
2. **PIN NUMBER:** (PROPERTY IDENTIFICATION NUMBER FROM TAX BILL OR DEED) IN ORDER TO DETERMINE THE ZONE OF THE PROPERTY.
3. **DRAWING:** OF THE PROPERTY SHOWING THE FOOTPRINT OF EXISTING STRUCTURES & PROPOSED NEW STRUCTURE/ADDITION.
4. **DISTANCES:** TO PROPERTY LINES (ON DRAWING) FROM EXISTING STRUCTURES AND PROPOSED NEW CONSTRUCTION.
5. COPY OF SEPTIC PERMIT.
6. CHECK OR CASH PAYABLE TO LUZERNE COUNTY PLANNING COMMISSION.

SOIL EROSION AND SEDIMENT REQUIREMENTS FOR SINGLE-FAMILY RESIDENCES, INDIVIDUAL LOT CONSTRUCTION AND MINOR CONSTRUCTION PROJECT ACTIVITIES

All earth disturbance activities in Pennsylvania are regulated by the requirements of 25 Pa. Code Chapter 102. Depending on the size and scope of a project, the requirements range from implementing and maintaining Best Management Practices (BMPs) to having a written Erosion and Sediment (E&S) Control Plan to requiring a National Pollutant Discharge Elimination System (NPDES) permit for stormwater discharges associated with construction activities.

How are the Size and Scope of the Project Determined?

One of the key factors in determining what is required is the size of the area of disturbance, which is defined as the area affected by construction or other human activity that disturbs the surface of the land, including, but not limited to: land clearing and grubbing, grading, excavations, embankments, land development, and the moving, depositing, stockpiling, or storing of soil, rock, or other earth materials.

When is an E&S Control Plan Required?

All earth disturbance activities, including those that disturb less than 5,000 square feet, must implement and maintain E&S control practices.

A written E&S Control Plan is required if one or both of the following apply: the total area of disturbance is 5,000 square feet or greater or if the activity has the potential to discharge to a water classified as a High Quality (HQ) or Exceptional Value (EV) water published at 25 Pa. Code Chapter 93 (relating to water quality standards). Since many municipalities have local ordinances that require a written and approved E&S Control Plan for disturbances less than 5,000 square feet, contact the local county conservation district office to determine whether a written plan is required under a local ordinance.

When is an NPDES Permit required?

An NPDES Permit is required if one or more acres of earth is disturbed. Additionally, an NPDES permit would be required for an earth disturbance of less than one acre if it is part of a larger, common plan of development. A common plan of development is an area where several distinct construction activities are occurring under one overall plan (e.g., the construction of a house on a half-acre lot in a residential development where other homes are being constructed). Most single-family residence individual lot construction sites can avoid an NPDES permit if they are not part of a larger common plan of development. Contact the local county conservation district office to determine whether a permit is required.

What other Approvals May be Necessary?

This fact sheet focuses only on state and federal E&S requirements. It is the responsibility of the landowner and contractor to ensure compliance with all local requirements as well. Additional state or federal permits may be needed when operating across, along or near surface waters. Surface waters are any and all rivers, streams, creeks, rivulets, impoundments, ditches, watercourses, storm sewers, lakes, dammed water, ponds, springs, wetlands, and all other bodies or channels of conveyance of surface water, or parts thereof, whether natural or artificial.

What are E&S Control Practices or Best Management Practices (BMPs)?

E&S BMPs are activities or structures that effectively control stormwater during construction to prevent and minimize soil loss and surface water pollution. The implementation and maintenance of BMPs are required on all earth disturbance activities regardless of size. The following are common BMPs for a single-family residence individual lot construction site:

A filter fabric fence, commonly referred to as silt fence, can be purchased at most builders' supply stores or landscape centers. Silt fences must be a minimum of 18 inches in height. Filter fabric fences and straw bale barriers perform the same function and are referred to as perimeter controls. Either of these practices would be installed down-slope of the construction where the disturbed area meets vegetation in the undisturbed area. Proper installation and maintenance of the filter fabric fence and/or the straw bale barrier is crucial to the BMP's correct function.

A rock construction entrance is installed along the roadway for the purpose of cleaning mud from the tires of construction vehicles before they leave the worksite.

Site stabilization is one of the most effective tools available to control erosion. Site stabilization is used as both a temporary and permanent measure to control erosion on construction sites. When areas of a construction site are completed, they should be stabilized as soon as possible. Stabilization practices can use straw mulch, seed, manufactured erosion control products, or a combination of all of the above.


Details and specifications for the BMPs listed above may be obtained at the local county conservation district office.

Erosion & Sediment Control Plan

What is Included in a Written E&S Control Plan?

A site sketch should include the dimensions of the lot, identification and dimensions of the area to be disturbed, location of any prominent drainage, wetland or surface waters, location of any major trees, the lot's general slope characteristics, and the BMPs that need to be implemented. (Figure 1)

For the purposes of a single-family residence, a site sketch made by the landowner and/or operator should be adequate.



NPDES Permit Assistance

If a single-family residence construction site is believed to need an NPDES Permit, the first step would be to discuss concerns with the contractor, consultant, municipality, or county conservation district. They will be able to assist in making the determination if an NPDES Permit is required.

The process of developing an NPDES Permit application is best completed by a licensed professional (engineer, geologist, surveyor, or landscape architect).

For more information, visit www.dep.state.pa.us, keyword: NPDES Construction and Erosion Control.

INSPECTION PROCEDURES

*ENERGY EFFICIENCY COMPLIANCE CERTIFICATION IS THE RESPONSIBILITY OF THE BUILDER AND MUST BE FILED AT TIME OF BUILDING PERMIT ISSUANCE and ACCOMPANY THIS REPORT BEFORE THE ISSUANCE OF AN OCCUPANCY PERMIT!!!!

This information may be obtained the US Dept of Energy , the PA Alternative, or Design Professional.

US Dept of Energy Res Check: www.energycodes.gov

PA Alternative: www.engr.psu.edu/phrc (then go to links,

Building Energy Codes - State Training Events, US Dept of Energy

Note: Res Check & Com Check can be accessed from this link.

FOOTING INSPECTION

SUPERIOR WALLS or WOOD FOUNDATIONS

Prior to stone placement

MASONRY FOOTERS

Footers formed & prior to concrete pour

FOUNDATION INSPECTION

Prior to back fill

FRAMING & ROUGH-IN INSPECTIONS

Prior to covering

ENERGY EFFICIENCY REQUIREMENTS

See note above

Prior to drywall or wall covering

FINAL INSPECTION

When all the appliances, equipment, fixtures are operational & functional

When all exterior grading work is complete and is ready to occupy

Inspections noted on this card may be scheduled by telephone with 48 hour notification. Work shall not proceed until field inspection has been approved. No exceptions!!!

PHONE # 570-401-2687

Construction Requiring Inspection

*Zymung and Building
Practices*


As 10/04

- Additions
- Chimneys
- Decks and Porches (replacing porch roof above)
- Garages
- New Homes
- Plumbing and Electrical (Reconstruction)
- Roof (only when replacing sheathing)
- Swimming Pools


CLIMATIC AND GEOGRAPHIC DESIGN CRITERIA
TABLE R301.2(1)

GROUND SNOW LOAD	WIND	SEISMIC DESIGN CATEGORY	SUBJECT TO DAMAGE FROM				WINTER DESIGN TEMP	FLOOD HAZARDS
	Speed (mph)		Weathering	Frost line depth	Termite	Decay		
40	90	B/C	SEVERE	42"	MODERATE TO HEAVY	SLIGHT TO MODERATE	9°	PER FIRM AND LOCAL ORDINANCE

INDICATE YOUR CONSTRUCTION MATERIALS BY CHECKING BOXES, FILLING IN SPACES OR CIRCLING BUILDING MATERIAL.



ADDITION:
CONCRETE BLOCK FOUNDATION



WOOD DECK

DIRECTIONS:


PROVIDE SIZING AND SPACING OF MEMBERS IN BLANK SPACES ON THE DIAGRAM ABOVE.

PROVIDE DIMENSIONS WHERE DIMENSION LINES WITH ARROWS ARE SHOWN.

WHERE STEPS ARE REQUIRED, PROVIDE THE FOLLOWING INFORMATION:


1. HEIGHT OF RISER: _____
2. DEPTH OF TREAD: _____
3. HEIGHT OF HANDRAIL (FROM FRONT EDGE OF STEP): _____
4. CLEAR WIDTH OF STAIR. _____
5. HEIGHT OF GUARD (IF REQUIRED): _____
6. PROVIDE FLOOR PLAN WITH OVERALL DIMENSIONS ON A SEPARATE SHEET.

INDICATE YOUR CONSTRUCTION MATERIALS BY CHECKING BOXES, FILLING IN SPACES OR CIRCLING BUILDING MATERIAL.



ADDITION:
POURED CONCRETE FOUNDATION

INDICATE YOUR CONSTRUCTION MATERIALS BY CHECKING BOXES, FILLING IN SPACES OR CIRCLING BUILDING MATERIAL.



GARAGE:
SLAB WITH FROST FOUNDATION

TYPICAL INSTALLATION FOR RESIDENTIAL ABOVE GROUND POOL

NOTE: NOT ALL CODE INFORMATION OR
INSTALLATION METHODS ARE SHOWN,
PLEASE CALL WITH SPECIFIC QUESTION.

